



Product Service

CERTIFICATE

No. Z2 076043 0089 Rev. 05

Model(s):

- DMxxx-M156-72, (xxx=335-375, in steps of 5)
- DMxxx-M156-72BK, (xxx=335-375, in steps of 5)
- DMxxx-M156-60, (xxx=280-310, in steps of 5)
- DMxxx-M156-60BK, (xxx=280-310, in steps of 5)
- DMHxxxM6-144SW, (xxx=340-385, in steps of 5)
- DMHxxxM6-144BB, (xxx=340-385, in steps of 5)
- DMHxxxM6-144BW, (xxx=340-385, in steps of 5)
- DMHxxxM6-120SW, (xxx=280-320, in steps of 5)
- DMHxxxM6-120BB, (xxx=280-320, in steps of 5)
- DMHxxxM6-120BW, (xxx=280-320, in steps of 5)
- DMxxx-M156-72P, (xxx=335-375, in steps of 5)
- DMxxx-M156-60P, (xxx=280-310, in steps of 5)
- DMxxx-M156-36P, (xxx=175-190, in steps of 5)
- DMxxx-M159-72, (xxx=385-395, in steps of 5)
- DMxxx-M159-72BK, (xxx=385-395, in steps of 5)
- DMxxx-M159-60, (xxx=315-325, in steps of 5)
- DMxxx-M159-60BK, (xxx=315-325, in steps of 5)
- DMHxxxM6A-144SW, (xxx=380-405, in steps of 5)
- DMHxxxM6A-144BB, (xxx=380-405, in steps of 5)
- DMHxxxM6A-144BW, (xxx=380-405, in steps of 5)
- DMHxxxM6A-120SW, (xxx=320-335, in steps of 5)
- DMHxxxM6A-120BB, (xxx=320-335, in steps of 5)
- DMHxxxM6A-120BW, (xxx=320-335, in steps of 5)
- DMxxx-M159-72UB, (xxx=385-395, in steps of 5)
- DMxxx-M159-60UB, (xxx=315-325, in steps of 5)
- DMxxxM6-60HSW, (xxx=345-370, in steps of 5)
- DMxxxM6-60HBW, (xxx=345-370, in steps of 5)
- DMxxxM6-60HBB, (xxx=345-370, in steps of 5)
- DMxxxM6-72HSW, (xxx=415-445, in step of 5)
- DMxxxM6-72HBW, (xxx=415-445, in step of 5)
- DMxxxM6-72HBB, (xxx=415-445, in step of 5)
- DMxxxG1-60SW, (xxx=315-325, in steps of 5)
- DMxxxG1-60BW, (xxx=315-325, in steps of 5)
- DMxxxG1-60HSW, (xxx=320-335, in steps of 5)
- DMxxxG1-60HBW, (xxx=320-335, in steps of 5)
- DMxxxG1-60BB, (xxx=315-325, in steps of 5)
- DMxxxG1-60BU, (xxx=315-325, in steps of 5)
- DMxxxG1-60HBB, (xxx=320-335, in steps of 5)
- DMxxxG1-72SW, (xxx=385-395, in steps of 5)
- DMxxxG1-72BW, (xxx=385-395, in steps of 5)
- DMxxxG1-72HSW, (xxx=380-405, in steps of 5)
- DMxxxG1-72HBW, (xxx=380-405, in steps of 5)
- DMxxxG1-72BB, (xxx=385-395, in steps of 5)
- DMxxxG1-72BU, (xxx=385-395, in steps of 5)
- DMxxxG1-72HBB, (xxx=380-405, in steps of 5)
- DMxxxM2-60SW, (xxx=280-310, in steps of 5)
- DMxxxM2-60BW, (xxx=280-310, in steps of 5)
- DMxxxM2-60HSW, (xxx=280-320, in steps of 5)
- DMxxxM2-60HBW, (xxx=280-320, in steps of 5)
- DMxxxM2-60BB, (xxx=280-310, in steps of 5)
- DMxxxM2-60BU, (xxx=280-310, in steps of 5)
- DMxxxM2-60HBB, (xxx=280-320, in steps of 5)
- DMxxxM2-72SW, (xxx=335-375, in steps of 5)
- DMxxxM2-72BW, (xxx=335-375, in steps of 5)
- DMxxxM2-72HSW, (xxx=340-385, in steps of 5)
- DMxxxM2-72HBW, (xxx=340-385, in steps of 5)
- DMxxxM2-72BB, (xxx=335-375, in steps of 5)
- DMxxxM2-72BU, (xxx=335-375, in steps of 5)
- DMXXXM2-72HBB, (xxx=340-385, in steps of 5)

xxx is standing for rated output power at STC

ZERTIFIKAT ◆ CERTIFICATE ◆ 認證書 ◆ CERTIFICADO ◆ CERTIFICAT



Product Service

CERTIFICATE

No. Z2 076043 0089 Rev. 05

Parameters:

Fire Safety Class:	Class C according to UL790.
Safety Class:	Class II
Max. System Voltage:	1000V DC
Test Laboratory:	Yangzhou Opto-Electrical Products Testing Institute. No.10 West Kaifa Road, Yangzhou 225009 Jiangsu, P. R. China.
Construction:	Framed, with Junction box, cable and connectors.

Tested according to:

IEC 61215-1:2016
IEC 61215-1-1:2016
IEC 61215-2:2016
IEC 61730-1:2016
IEC 61730-2:2016

Production Facility(ies):

076053, 098336

ZERTIFIKAT ◆ CERTIFICATE ◆ 認證書 ◆ CERTIFICADO ◆ CERTIFICAT