




Product Service

CERTIFICATE

No. Z2 076043 0094 Rev. 02

Holder of Certificate: Hengdian Group DMEGC Magnetics CO., LTD
Hengdian Industrial Zone,
322118 Dongyang, Zhejiang
PEOPLE'S REPUBLIC OF CHINA

Certification Mark:



Product: Crystalline Silicon Terrestrial Photovoltaic (PV) Modules
Mono-Crystalline Silicon Photovoltaic Module

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 704062006204-02

Valid until: 2025-11-08

Date, 2020-11-10

(Zhulin Zhang)

CERTIFICATE

No. Z2 076043 0094 Rev. 02

Model(s):

DMHxxxM6A-144SW, (xxx=380-405, in steps of 5)
DMxxxG1-72HSW, (xxx=380-405, in steps of 5)
DMxxxG1-72HBW, (xxx=380-405, in steps of 5)
DMHxxxM6A-120SW, (xxx=320-335, in steps of 5)
DMxxxG1-60HSW, (xxx=320-350, in steps of 5)
DMxxxG1-60HBW, (xxx=320-350, in steps of 5)
DMxxx-M159-72, (xxx=385-395, in steps of 5)
DMxxxG1-72SW, (xxx=385-395, in steps of 5)
DMxxxG1-72BW, (xxx=385-395, in steps of 5)
DMxxx-M159-60, (xxx=315-325, in steps of 5)
DMxxxG1-60SW, (xxx=315-325, in steps of 5)
DMxxxG1-60BW, (xxx=315-325, in steps of 5)
DMHxxxM6A-144BW, (xxx=380-405, in steps of 5)
DMHxxxM6A-120BW, (xxx=320-335, in steps of 5)
DMxxx-M159-72BK, (xxx=385-395, in steps of 5)
DMxxxG1-72BB, (xxx=385-395, in steps of 5)
DMxxx-M159-60BK, (xxx=315-325, in steps of 5)
DMxxxG1-60BB, (xxx=315-330, in steps of 5)
DMxxxM6-72HSW, (xxx=415-450, in steps of 5)
DMXXXM6-72HBW, (xxx=415-450, in steps of 5)
DMxxxM6-72HBB, (xxx=415-450, in steps of 5)
DMxxxM6-60HSW, (xxx=345-375, in steps of 5)
DMXXXM6-60HBW, (xxx=345-375, in steps of 5)
DMxxxM6-60HBB, (xxx=345-375, in steps of 5)
xxx is standing for the rated output power at STC

Parameters:

Fire Safety Class: Class C according to UL790.
Safety Class: Class II
Max. System Voltage: 1000V DC
Test Laboratory: Yangzhou Opto-Electrical
Products Testing Institute.
No.10 West Kaifa Road, Yangzhou
225009 Jiangsu, P. R. China.
Construction: Framed, with Junction box,
cable and connector.
PID Test Condition: +/- 1000 V DC, 96 Hours, 85°C, 85% RH
PID testing method is according to IEC TS 62804-1:2015

Tested according to:

IEC 61215-1:2016
IEC 61215-1-1:2016
IEC 61215-2:2016
IEC 61730-1:2016
IEC 61730-2:2016
PPP 58042B:2015

Production Facility(ies):

076053